Standoff Holder and Standoff Pad for Ultrasound Probe Serial Number: 10/695,988

ABSTRACT Page 20:

Please amend the abstract as follows:

Remove the last sentence of the abstract end of line 5 and all of line 6:

Please remove: "Further, a gel insert 26 and method of making gel inserts 26 from a gel pad 24 is described."

DRAWINGS- No Changes.

APPENDIX -

SUMMARY of Amendment A

The applicants have enclosed the entire specifications with markings, canceled claims 1-12, added new claims 13-20, the Abstract as amended and stated above.

Copy of Patent Office Envelope showing mailing date of office action= May 6th 2005 Drawing showing examples of different probe sizes and shapes.

Request Under MPEP 707.07(j) form is attached asking for the examiner to help construct 1 or more claims if applicant's claims are not suitable.

THE APPLICATION IS IN PROPER ORDER.

END OF AMMENDMENT -A

If for any reason this application is not to believed to be in full condition for allowance, applicants respectfully request the constructive assistance and suggestions of the examiner pursuant to M.P.E.P. 2173.02 and 707.07 in order that the undersigned can place this application in allowable condition as soon as possible and without the need for further proceedings.

Very respectfully,

-	10 Boulevard Imwood Park, NJ 07407	
ailing:	I certify that on the date below this document and refere	eı

Certificate of Mailing: I certify that on the date below this document and referenced attachments, if any will be deposited with the U.S. Postal Service as First Class Mail in an envelope addressed to: "Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450

Date: 07/12/20c5 M-ZMeul
Dr. Martin E. Wendelken